

**What is claimed is:**

1. A fragrant medium apparatus, comprising:

a top portion comprising a plurality of top portion connection members, said top portion connection members adapted for insertion into a recess of a bottom portion;

5 a middle portion comprising a fragrant medium, said middle portion adapted for insertion into said top portion; and

a bottom portion comprising a plurality of connection members, said bottom portion connection members adapted for insertion into a recess of said top portion.

10 2. The apparatus of claim 1 wherein said top portion and said bottom portion comprise a plurality of openings.

3. The apparatus of claim 1 wherein said middle portion comprises a plurality of openings.

4. The apparatus of claim 1 wherein said top, middle, and bottom portion are circular.

15 5. The apparatus of claim 1 wherein each of said top portion connection members and bottom portion connection members comprise a barb.

6. The apparatus of claim 1 wherein each of said top portion connection members and bottom portion connection members are rectangular.

7. The apparatus of claim 1 wherein each of said top portion connection members and bottom portion connection members are triangular.

20 8. The apparatus of claim 1 wherein each of said top portion connection members and bottom portion connection members are adapted to pass through a material.

9. The apparatus of claim 1 wherein each of said top portion and bottom portion are adapted for attachment to a furnace filter.

10. The apparatus of claim 9 wherein said fragrant medium is a scented ceramic-based material adapted to withstand the high temperatures.

11. The apparatus of claim 1 wherein said top portion is adapted for attachment to a device with a fan.

5 12. A fragrant medium apparatus, comprising:

a top portion comprising a recess for accommodating a plurality of bottom portion connection members;

a middle portion comprising a fragrant medium, said middle portion adapted for insertion into said top portion; and

10 a bottom portion comprising a plurality of bottom portion connection members adapted for insertion into said recess of said top portion.

13. The apparatus of claim 12 wherein said top portion, bottom portion, and middle portion comprise a plurality of openings.

14. The apparatus of claim 12 wherein said top, middle, and bottom portions are  
15 circular.

15. The apparatus of claim 12 wherein said top portion comprises a plurality of top portion connection members and said bottom portion comprises a recess adapted to accommodate said top portion connection members.

16. The apparatus of claim 12 wherein each of said bottom portion connection  
20 members is triangular.

17. The apparatus of claim 16 wherein each of said bottom portion connection members are adapted to pass through a furnace filter.

18. The apparatus of claim 1 wherein said top portion is adapted for attachment to a device with a fan.

19. A fragrant medium apparatus adapted for use in a furnace, comprising:

a top portion comprising a plurality of top portion connection members, said top

5 portion connection members adapted for insertion through a furnace filter and into a recess of a bottom portion;

a middle portion comprising a fragrant solid, said middle portion adapted for insertion into said top portion; and

10 a bottom portion comprising a recess adapted to accommodate said top portion connection members of said top portion.

20. The fragrant medium apparatus of claim 19 wherein said top portion, said middle portion, and said bottom portion comprise perforations.